

مراجع

- [1] Chellappa, R., Wilson, C.L., Sirohey, S. (1995), "Human and machine recognition of faces: A survey", *Proceedings of the IEEE*, vol. 83, no. 5, pp. 704-740.
- [2] Harmon, L.D. and Hunt, W.F. (1977), "Automatic recognition of human face profiles", *Computer Graphics and Image Processing*, vol. 6, pp. 135-156.
- [3] Harmon, L.D., Kuo, S.C., Ramig, P.F., Raudkivi, U. (1978), "Identification of human face profiles by computer", *Pattern Recognition*, vol. 10, pp. 301-312.
- [4] Harmon, L.D., Khan, M.K., Lasch, R., Ramig, P.F. (1981), "Machine identification of human faces", *Pattern Recognition*, vol. 13, no. 2, pp. 97-110.
- [5] Wu, C.J. and Huang, J.S. (1990), "Human face profile recognition by computer", *Pattern Recognition*, vol. 23, no. 3, pp. 255-259.
- [6] Medioni, G. and Yasumoto, Y. (1987), "Corner detection and curve representation using cubic B-splines", *Computer Vision, Graphics, and Image Processing*, vol. 39, pp. 267-278.
- [7] Ip, H.H.S. and Ng, J.M.C. (1994), "Human face recognition using Dempster-Shafer theory", *IEEE -International conference on Image processing*, IEEE, Los Alamitos, CA, USA, vol. 1, pp. 292-295.
- [8] Campos, J.C., Linney, A.D., Moss, J.P. (1993), "The analysis of facial profiles using scale space techniques", *Pattern Recognition*, vol. 26, no. 6, pp. 819-824.
- [9] Kaufman, G.J. and Breeding, K.J. (1976), "The automatic recognition of human faces from profile silhouettes", *IEEE Transactions on systems, man, and cybernetics*, vol. SMC-6, no. 2, pp. 113-121.
- [10] Dudani, S.A., Breeding, K.J., McGhee, R.B. (1997), "Aircraft identification by moment invariants", *IEEE Transactions on Computers*, vol. C-26, no. 1, pp. 39-45.
- [11] Aibara, T., Ohue, K., Oshita, Y. (1994), "Human face profile recognition by a P-Fourier descriptor", *IEEE -International conference on Image processing*, IEEE, Los Alamitos, CA, USA, vol. 1, pp. 292-295.
- [12] Zahn, C.T. and Roskies, R.Z. (1972), "Fourier descriptors for plane closed curves", *IEEE Transactions on Computers*, vol. C-21, no. 3, pp. 269-281.
- [13] Somaie, A.A. and Ipson, S.S. (1995), "A human face profile identification system using 1-D real Fourier descriptors", *International Journal of Infrared and Millimeter waves*, vol. 16, no. 8, pp. 1285-1298.
- [14] Shingai, H. and Takiyama, R. (1996), "Individual identification by unifying profiles and full faces", *IEICE Transaction on Information and Systems*, vol. E79-D, no. 9, pp. 1274-1278.

- [15] Starkey, R.B. and Aleksander, I. , “Facial recognition for police purposes using computer graphics and neural networks” ,*IEE Colloquium (Digest)*, IEE, Stevenage, UK, no. 087, 2p.
- [16] Payne, T.L., Solheim, I., Castain, R. (1992), “The potentials in using backpropagation neural networks for facial verification systems”, *Simulation*, vol. 58, no. 5, pp. 306-310.
- [17] Fukuda, T., Ito, S., Arai, F. (1993), “Recognition of human face using fuzzy inference and neural network”, *Transactions of the Japan society of mechanical engineers*, part C, vol. 59, n. 558, pp. 200-206.
- [18] Jhonson, E.A. and Wu, C.J. (1994),” A real-time fuzzy logic-based neural facial feature extraction technique”, *IEEE International conference on Fuzzy systems*, vol. 1, pp. 268-273.
- [19] Ballard, D.H. and Brown, C.M. (1982), *Computer Vision*, Prentice Hall, Englewood Cliffs, New Jersey,
- [20] Parker, J.R. (1997), *Algorithms for Image Processing and Computer Vision*, John Wiley & Sons, Inc., New York.
- [21] Sonka, M., Hlavac, V., Boyle, R. (1993), *Image Processing, Analysis, and Machine vision*, Chapman & Hall.
- [22] Fukunaga, K. (1990), *Introduction to Statistical Pattern Recognition*, second edition, Academic Press, Inc., New York.
- [۲۳] شایگان، محمد امین، شناسایی متون دستنویس فارسی با روش آماری، پایان نامه کارشناسی ارشد، ۱۳۷۳.
- [۲۴] توماس راکوزی، اطلس سفالومتری، (روانمهر، حسن و گرامی، الهیار)، تهران، جهاد دانشگاهی دانشکده دندانپزشکی علوم پزشکی، ۱۳۷۱.
- [25] Samal, A. and Iyengar, P.A. (1992), “Automatic recognition and analysis of human faces and facial expressions: A survey”, *Pattern Recognition*, vol. 25, no. 1, pp. 65-77.
- [26] Daugman, J. (1997), “Face and gesture recognition: overview”, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 19, no. 7, pp. 675-676.
- [27] Goldstein, A.J., Harmon, L.D., Lesk, A.B. (1972), “Man-machine interaction in human-face identification”, *The Bell System Technical Journal*, vol. 51, no. 2, pp. 399-427.
- [28] Gonzalez, R.C. and Wintz, P. (1987), *Digital image processing*, second edition, Addison-Wesley, USA.
- [29] Castleman, K.R. (1996), *Digital Image Processing*, Prentice Hall, New Jersey.
- [30] Sid-Ahmed, M.A. (1992), “A hardware structure for the automatic selection of multilevel thresholds in digital images”, *Pattern Recognition*, vol. 25, no. 12, pp. 1517-1528.

مراجع برنامه نویسی

- [1] Myers, B. and Doner, C. (1992), *Programmer's introduction to Windows 3.1*, Sybex Inc., CA, USA.
- [2] Petzold, C. (1996), *Programming Windows 95*, Microsoft Press, USA.
- [3] Schildt, H. , Pappas, C.H. , Murray, W.H. (1994), *Osborne Windows Programming*, 3 vol.s, Osborne McGraw Hill, USA.
- [4] Sheth, Y. (1994), *Borland C++ 4.0 Under Windows 3.1*, 3 vol.s, Jaico Publishing House, Bombay, India.
- [5] Syck, G. (1993), *ObjectWindows How-to: the definitive Borland C++ problem solver for Windows*, Waite Group Press, USA.